



LED CEILING LAMP

RECESSED

The round and square shaped ceiling lamps with aluminium clips are available in both recessed and surface mounted versions. Four wattages and three color temperatures are accessible.

round



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097912301	ACRPWW-R-6W-ALU	3000K	410lm	6W	120×10mm	20
5999097912004	ACRPNW-R-6W-ALU	4000K	420lm	6W	120×10mm	20
5999097912325	ACRPCW-R-6W-ALU	6400K	430lm	6W	120×10mm	20
5999562281192	ACRPWW-R-12W-ALU	3000K	940lm	12W	170×10mm	20
5999562288863	ACRPNW-R-12W-ALU	4000K	950lm	12W	170×10mm	20
5999562281215	ACRPCW-R-12W-ALU	6400K	960lm	12W	170×10mm	20
5999562281277	ACRPWW-R-18W-ALU	3000K	1480lm	18W	220×10mm	20
5999562288900	ACRPNW-R-18W-ALU	4000K	1490lm	18W	220×10mm	20
5999562281291	ACRPCW-R-18W-ALU	6400K	1500lm	18W	220×10mm	20
5999097913063	ACRPWW-R-24W-ALU	3000K	1990lm	24W	296×10mm	10
5999097912080	ACRPNW-R-24W-ALU	4000K	2000lm	24W	296×10mm	10
5999097913087	ACRPCW-R-24W-ALU	6400K	2010lm	24W	296×10mm	10



220-240V



A+ energy class



20.000h



120°



non-dimmable



0sec instant full light



square



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097912349	ACRPWW-S-6W-ALU	3000K	410lm	6W	116×10mm	20
5999097912028	ACRPNW-S-6W-ALU	4000K	420lm	6W	116×10mm	20
5999097912363	ACRPCW-S-6W-ALU	6400K	430lm	6W	116×10mm	20
5999562281239	ACRPWW-S-12W-ALU	3000K	940lm	12W	166×10mm	20
5999562288887	ACRPNW-S-12W-ALU	4000K	950lm	12W	166×10mm	20
5999562281253	ACRPCW-S-12W-ALU	6400K	960lm	12W	166×10mm	20
5999562281314	ACRPWW-S-18W-ALU	3000K	1480lm	18W	225×23mm	20
5999562288924	ACRPNW-S-18W-ALU	4000K	1490lm	18W	225×23mm	20
5999562281338	ACRPCW-S-18W-ALU	6400K	1500lm	18W	225×23mm	20
5999097913100	ACRPWW-S-24W-ALU	3000K	1990lm	24W	291×10mm	10
5999097912103	ACRPNW-S-24W-ALU	4000K	2000lm	24W	291×10mm	10
5999097913124	ACRPCW-S-24W-ALU	6400K	2010lm	24W	291×10mm	10

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec instant full light



LED CEILING LAMP

DOWNLIGHT SPOTS

These LED downlight spots with swivel head provide a modern and practical alternative to the ways of installation. The narrow beam angle helps to focus the light accurately. Available in round and square shapes, two color temperatures and 6W wattage.

round



EAN	product code	color temp.	lumen	watt	outer size	hole size	swivel	pcs/#
5999097908601	ALDLS38WW-R-6W	3000K	430lm	6W	95×45mm	75mm	+45° to -15°	100
5999097908588	ALDLS38NW-R-6W	4000K	480lm	6W	95×45mm	75mm	+45° to -15°	100



85-265V



A+ energy class



20.000h



38°



non-dimmable

0sec

instant full light

square



EAN	product code	color temp.	lumen	watt	outer size	hole size	swivel	pcs/#
5999097908762	ALDLS38WW-S-6W	3000K	430lm	6W	95×95×38mm	75mm	+45° to -15°	100
5999097908748	ALDLS38NW-S-6W	4000K	480lm	6W	95×95×38mm	75mm	+45° to -15°	100



85-265V



A+ energy class



20.000h



38°



non-dimmable

0sec

instant full light