



## UFO

The LED ceiling lamps are available with a variety of modern covers, shapes and wattages. Optionally they can be equipped with motion sensors that provide comfortable operation. Available in three wattages and sizes, in neutral and warm white color temperatures. Recommended to illuminate corridors, stairways and entrances.



### normal



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999562288801	ACLO28NW-12W	4000K	800lm	12W	280×90mm	10
5999097915609	ACLO28CW-12W	6400K	810lm	12W	280×90mm	10
5999562288825	ACLO33NW-18W	4000K	1200lm	18W	330×100mm	10
5999097915623	ACLO33CW-18W	6400K	1220lm	18W	330×100mm	10
5999562288849	ACLO38NW-24W	4000K	1600lm	24W	380×110mm	10
5999097915647	ACLO38CW-24W	6400K	1620lm	24W	380×110mm	10

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec  
instant full light



### square



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097911144	ACLO28NW-S-12W	4000K	800lm	12W	280×90mm	10
5999097911168	ACLO33NW-S-18W	4000K	1200lm	18W	330×100mm	10
5999097911182	ACLO38NW-S-24W	4000K	1600lm	24W	380×110mm	10

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec  
instant full light



# LED CEILING LAMP

## aluminium housing



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097910246	ACLO33NW-18W-ALU	4000K	1200lm	18W	330x100mm	10
5999097915661	ACLO33CW-18W-ALU	6400K	1220lm	18W	330x100mm	10

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec  
instant full light

## raindrop



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097910222	ACLO33NW-18W-RD	4000K	1200lm	18W	330x100mm	10
5999097915685	ACLO33CW-18W-RD	6400K	1220lm	18W	330x100mm	10

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec  
instant full light

## shell



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097910185	ACLO33NW-18W-S	4000K	1200lm	18W	330x100mm	10

220-240V

A+ energy class

20.000h


120°

non-dimmable

0sec  
instant full light



## medusa



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097910208	ACLO33NW-18W-ME	4000K	1200lm	18W	330x100mm	10
5999097915708	ACLO33CW-18W-ME	6400K	1220lm	18W	330x100mm	10

220-240V

A+ energy class


20.000h

120°

non-dimmable

0sec instant full light

## mosaic



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097910260	ACLO33NW-18W-MO	4000K	1200lm	18W	330x100mm	10
5999097915722	ACLO33CW-18W-MO	6400K	1220lm	18W	330x100mm	10

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec instant full light

## sensor




EAN	product code	operating voltage	detection range
5999097907901	ACLO-SENSOR	220 ~ 240 VAC 50/60HZ	maximum 10m × 6m



# LED CEILING LAMP

## UFO IP66

The professional IP66 ceiling lights are available with different accessories such as inverters and microwave sensors. In addition to the high degree of protection the sensor version is highly fine-tuned to allow the most comfortable and precise operation. Available with 15W wattage and neutral white color temperature.



EAN	product code	accessories	color temp.	lumen	watt	outer size	pcs/#
5999097911205	ACL30NW-IP66-15W	-	4000K	1200lm	15W	300x100 mm	10
5999097911922	ACL30NW-IP66-15W-MW	sensor	4000K	1200lm	15W	300x100 mm	10
5999097911946	ACL30NW-IP66-15W-MW-EM	sensor & inverter	4000K	1200lm	15W	300x100 mm	10

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec instant full light

## inverter



EAN	5999097911267
product code	ACL-IP66-INV
input voltage	220-240V, 50/60Hz
uptime	5W: 2 hours
capacity	Ni-Cd 4.8V 2.8 Ah

## microwave sensor



EAN	5999097911281
product code	ACL-IP66-SENSOR
light sensor (LUX)	2-10-25-50-OFF
detection range (%)	10-25-50-75-100
lighting time	5s-30s-90s-3min-20min-30min
max load capacity	400W
input voltage	220-240V, 50/60Hz
detection range (height x diameter)	max 6m x 12m



## IP54 BULKHEAD

The energy efficient IP54 bulkhead LED lamps are available in round and square shapes with two wattages, neutral or cold white color temperatures. The aluminium housing models provides modern appearance to different premises. Recommended in bathrooms or humid places where splash protection is essential.

### round



EAN	product code	color	color temp.	lumen	watt	outer size	pcs/#
5999097909103	ABBHL-R-14W-NW	white	4000K	1000lm	14W	215x80mm	12
5999097915746	ABBHL-R-14W-CW	white	6400K	1010lm	14W	215x80mm	12
5999097909141	ABBHL-R-14W-NW-BL	black	4000K	1000lm	14W	215x80mm	12
5999097915760	ABBHL-R-14W-CW-BL	black	6400K	1010lm	14W	215x80mm	12

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec  
instant full light



### oval



EAN	product code	color	color temp.	lumen	watt	outer size	pcs/#
5999097909127	ABBHL-O-14W-NW	white	4000K	1000lm	14W	119x212x60,5mm	12
5999097915784	ABBHL-O-14W-CW	white	6400K	1010lm	14W	119x212x60,5mm	12
5999097909165	ABBHL-O-14W-NW-BL	black	4000K	1000lm	14W	119x212x60,5mm	12
5999097915807	ABBHL-O-14W-CW-BL	black	6400K	1010lm	14W	119x212x60,5mm	12

220-240V

A+ energy class

20.000h

120°

non-dimmable

0sec  
instant full light




# LED CEILING LAMP

## round aluminium



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097911304	ABHL54-RG-12W-NW	4000K	850lm	12W	222x49mm	10

 220-240V

 A+ energy class

 20.000h

 120°

 non-dimmable


**0sec**  
instant full light

## square aluminium



EAN	product code	color temp.	lumen	watt	outer size	pcs/#
5999097911243	ABHL54-SG-12W-NW	4000K	850lm	12W	222x49mm	10

 220-240V

 A+ energy class

 20.000h

 120°

 non-dimmable

**0sec**  
instant full light