










LED WALL WASHERS

OPTONICA



 Watts	9W	 CRI	>80
 Input Voltage	AC:180-265V	 IP Rating	IP65
 Flux	960 lm	 Life Span	25 000 h
 Beam Angle	15°	 Dimension	495x58x50 mm

A+




SKU No.
White Light
WW7134 6000K

Warm White
WW7131 2700K

Color temperature

9W WALL WASHER

9*1 LED CHIP



EAN Code 6000K 3800156671348

EAN Code 2700K 3800156671317









SKU No.

White Light
6000K WW7135


Warm White
2700K WW7132

Color temperature




 Watts	18W	 CRI	>80
 Input Voltage	AC:180-265V	 IP Rating	IP65
 Flux	1440 lm	 Life Span	25 000 h
 Beam Angle	15°	 Dimension	998x58x50 mm

A+



18W WALL WASHER

18*1 LED CHIP











EAN Code 6000K 3800156671355

EAN Code 2700K 3800156671324


LED WALL WASHERS

OPTONICA



-  Watts 36W
-  Input Voltage AC:180-265V
-  Flux 2880 lm
-  Beam Angle 15°
-  CRI >80
-  IP Rating IP65
-  Life Span 25 000 h
-  Dimension 988x58x50 mm

A+



SKU No.
White Light
WW7136 6000K

Warm White
WW7133 2700K

Color temperature



36W WALL WASHER 36*1 LED CHIP

2880
LUMENS

15°
BEAM ANGLE

IP65

EAN Code 6000K 3800156671362









EAN Code 2700K 3800156671331



RGB


SKU No.
WW7116



-  Watts 18W
-  Input Voltage DC: 24V
-  Flux 1440 lm
-  Beam Angle 15°
-  CRI >80
-  IP Rating IP65
-  Life Span 25 000 h
-  Dimension 998x58x40 mm

A+

**EPISTAR
Chip Set**



18W WALL WASHER 18*1 EPISTAR CHIP



1440
LUMENS MAX

15°
BEAM ANGLE

IP65

EAN Code RGB 3800156671164

LED WALL WASHERS

OPTONICA



- SKU No.** WW7121
- Watts** 36W
- Input Voltage** AC:220-240V
- Flux** 2880 lm
- Beam Angle** 15°
- IP Rating** IP67
- Life Span** 25 000 h
- Dimension** 495x58x50 mm



36W WALL WASHER

Square

WW7121 Warm White 2700K



- SKU No.** WW7122
- Watts** 48W
- Input Voltage** AC:220-240V
- Flux** 3840 lm
- Beam Angle** 15°
- IP Rating** IP67
- Life Span** 25 000 h
- Dimension** 495x58x50 mm



48W WALL WASHER

Square

WW7121 Warm White 2700K



- Watts** 3W
- Input Voltage** AC:180-265V
- Flux** 240 lm
- Beam Angle** 15°
- CRI** >70
- IP Rating** IP67
- Life Span** 25 000 h
- Dimension** 495x58x50 mm



SKU No.

Warm White
WW7123 2700K

Color temperature



3W SPOT LIGHT



LUMENS



BEAM ANGLE



IP67

EAN Code 2700K 3800156671232

LED WALL WASHERS

OPTONICA



A+

15°
BEAM ANGLE

SAVE 80%
ENERGY

IP67

9W
30CM SIZE
720 LUMENS

10W
40CM SIZE
800 LUMENS

12W
50CM SIZE
960 LUMENS

LED WALL WASHER

WW7126 Warm White 2700K

WW7127 Warm White 2700K

WW7128 Warm White 2700K

	LED WALL WASHER 9W	LED WALL WASHER 10W	LED WALL WASHER 12W
SKU No.	WW7126	WW7127	WW7128
Watts	9W	10W	12W
Input Voltage	AC:220-240V	AC:220-240V	AC:220-240V
Flux	720 lm	800 lm	960 lm
Beam Angle	15°	15°	15°
Light Color	WW	WW	WW
CRI	>80	>80	>80
IP Rating	IP67	IP67	IP67
Life Span	25 000 h	25 000 h	25 000 h
Dimension	300x60x50 mm	400x60x50 mm	500x60x50 mm
EAN Code 2700K	3800156671263	3800156671270	3800156671287


Warm White
WW 2700K
Color temperature

LED INDUSTRIAL LIGHT

OPTONICA



HIGH LUMEN



60°
BEAM ANGLE



IP65

A+



HB8142 White Light 6000K
HB8143 Neutral White 4500K



HB8144 White Light 6000K
HB8145 Neutral White 4500K



HB8146 White Light 6000K
HB8147 Neutral White 4500K




HB8148 White Light 6000K
HB8149 Neutral White 4500K

LED INDUSTRIAL LIGHT

HIGH BAY - UFO

	50W HIGH BAY-UFO	100W HIGH BAY-UFO	150W HIGH BAY-UFO	200W HIGH BAY-UFO
SKU No.	HB8142/HB8143	HB8144/HB8145	HB8146/HB8147	HB8148/HB8149
Watts	50W	100W	150W	200W
Input Voltage	AC:180-260V	AC:180-260V	AC:180-260V	AC:180-260V
Flux	5000 lm	10000 lm	15000 lm	20000 lm
Beam Angle	60°	60°	60°	60°
Light Color	WH/NW	WH/NW	WH/NW	WH/NW
CRI	>70	>70	>70	>70
IP Rating	IP65	IP65	IP65	IP65
Life Span	25 000 h	25 000 h	25 000 h	25 000 h
Dimension	135x113x30 mm	168x150x30 mm	180x178x35 mm	203x214x35 mm
EAN Code 6000K	3800156681422	3800156681446	3800156681460	3800156681484
EAN Code 4500K	3800156681439	3800156681453	3800156681477	3800156681491



LED INDUSTRIAL LIGHT

OPTONICA



HIGH LUMEN



120°x 60°

BEAM ANGLE



IP44

A+

LED INDUSTRIAL LIGHT

LINEAR HIGH BAY



HB8151 White Light 6000K
HB8152 Neutral White 4500K



HB8153 White Light 6000K
HB8154 Neutral White 4500K




HB8155 White Light 6000K
HB8156 Neutral White 4500K



HB8157 White Light 6000K
HB8158 Neutral White 4500K

	50W LINEAR HIGH BAY	100W LINEAR HIGH BAY	150W LINEAR HIGH BAY	200W LINEAR HIGH BAY	
SKU No.	HB8151/HB8152	HB8153/HB8154	HB8155/HB8156	HB8157/HB8158	
Watts	50W	100W	150W	200W	
Input Voltage	AC220-240V	AC220-240V	AC220-240V	AC220-240V	
Flux	5000 lm	10000 lm	15000 lm	20000 lm	
Beam Angle	120°60°	120°60°	120°60°	120°60°	
Light Color	WH/NW	WH/NW	WH/NW	WH/NW	
CRI	>70	>70	>70	>70	
IP Rating	IP44	IP44	IP44	IP44	
Life Span	25 000 h	25 000 h	25 000 h	25 000 h	
Dimension	315x140x130 mm	572x140x125 mm	847x140x125 mm	1117x140x125 mm	



EAN Code 6000K
EAN Code 4500K

3800156681514
3800156681521

3800156681538
3800156681545

3800156681552
3800156681569

3800156681576
3800156681583